09/674877

LD9006 US - PCT

CERTIFICATE OF MAILING

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being deposited with the United States Postal Service on the date shown below with sufficient postage as first class mail in an envelope addressed to the: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Gary Greenblatt

Type or print name

Jany Sheen Signature

7/06 Date

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

RE APPLICATION OF

HOEFLE, ET AL.

PATENT NO: 6,982,280 1

ISSUED: 01/03/2006

FOR: EPOTHILONE DERIVATIVES, A METHOD FOR THE PRODUCTION

THEREOF, AND THEIR USE

Commissioner for Patents P.O. Box 1450

Alexandria, VA 22313-1450

Attention: Certificate of Corrections Branch

Certificate

APR 1 4 2006

of Correction

REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT

Sir:

Patentees are submitting a request for Certificate of Correction under 35 U.S.C. 254 for U.S. Patent 6,982,280 B1, issued January 3, 2006.

Attached, in duplicate, is Form PTO-1050, with at least one copy being suitable for printing.

Applicants submit these corrections present no new matter and do not require reexamination, as it is clear from the patent document itself that each of the errors is of a typographical, clerical and/or minor nature, and the correct text would be readily apparent to one skilled in the field.

04/12/2006 CCHAU1

00000005 193880 6982280

01 FC:1811

100.00 DA

. 1 -

In Column 6, Line 48,

"and P is a protective group" should read: --and P is a protecting group--

Column 7, Lines 16-17 and 43-44,

"the protective group P" should read: --the protecting group P--

Column 9, Lines 63,

"silent coupling (stille Kupplung) with R₂-SNR³₃," should read:

--silent coupling (Stille Kupplung) with R2-Sn(R3)3--

Certain errors occurred through the fault of the USPTO, for which correction is sought under 37 CFR 1.322, and certain errors occurred through fault of the applicant in good faith for which correction is sought under 37 CFR 1.323.

On account of the corrections Applicants request pursuant to 37 CFR 1.323, the Commissioner is authorized to charge the \$100 fee under 37 CFR 1.20(a) to Deposit Account No. 19-3880. Additionally, the Commissioner is authorized to charge any additional fee that may be required for this request to the aforementioned Deposit Account. The USPTO is requested to kindly contact the undersigned if deemed appropriate to expedite this request.

Respectfully submitted,

Bristol-Myers Squibb Company Patent Department P.O. Box 4000

Princeton, NJ 08543-4000

Date: 4/2

Gary D. Greenblatt Agent for Applicant Reg. No. 47,609

Phone: 609-252-3850

Case: LD9006 US PCT

Page 1 of 1

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO

6,982,280 61

DATED:

January 3, 2006

INVENTOR(S)

Hoefle et al.

It is certified that there is an error in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In Column 6, Line 48,

"and P is a protective group" should read: -- and P is a protecting group--

Column 7, Lines 16-17 and 43-44,

"the protective group P" should read: -- the protecting group P--

Column 9, Lines 63,

"silent coupling (stille Kupplung) with R₂-SNR³₃," should read:

--silent coupling (Stille Kupplung) with R²-Sn(R³)₃--

MAILING ADDRESS OF SENDER:

PATENT NO. 6,982,280

Gary D. Greenblatt Bristol-Myers Squibb Company Patent Department P.O. Box 4000 Princeton, NJ 08543-4000 609-252-3850